



Thermodyne

FOODSERVICE PRODUCTS, INC.

Great Equipment Brings Great Results. **300NDNL**

Thermodyne's 300NDNL counter-top slow cook and hold oven provides food quality and kitchen efficiency like no other piece of equipment on the market today. Using patented Fluid Shelf® technology each shelf in the cabinet maintains an exact temperature, allowing for extended holding times, without sacrificing appearance or taste. This compact, slow cook and hold oven requires no door and operates on a simple 120V connection. Units are available as pass through or with a solid panel back.



Unit shown with optional pans and lids

SPECIFICATIONS	
EXTERIOR DIMENSIONS	17.50"W x 23.00"D x 25.88"H
INTERIOR DIMENSIONS	13.50"W x 22.00"D x 20.25"H
CUBIC CAPACITY	3.48ft³
MAX OPERATING TEMP	230°F
NET WEIGHT	123lbs.
SHIPPING WEIGHT	185lbs.

ELECTRICAL SPECIFICATIONS	
VOLTS	120
AMPS	15
TOTAL WATTS	1750
HERTZ	60
PHASE	1

SHELVES	
STANDARD	5


CAPACITY	
STEAM TABLE PAN	
12" x 20" x 2.5"	5

OPTIONS / ACCESSORIES	
High Temp Pans	Vented Stainless Drawer Lids
Controller Shield	Stainless Steel Drip Pan
Pass-thru	Stainless Drawer Lids
Wire Baskets	Stainless Steel Riser


300CT - Model includes doors	
EXTERIOR DIMENSIONS	17.50"W x 24.75"D x 27.25"H
NET WEIGHT	126lbs.
SHIPPING WEIGHT	190lbs.

Specifications subject to change without notice.



FRONT VIEW



SIDE VIEW



PLAN VIEW



Patented

REV. 12/20

4418 New Haven Avenue, Fort Wayne, IN 46803
 (800) 526-9182 Toll-Free / (260) 428-2535 Local / (260) 428-2533 Fax
www.tdyne.com

Fluid Shelf
 Precision Heat Transfer System