Available in standard 3 and 4 shelf configurations, Thermodyne's BW models are designed for bread products and other foods requiring deeper pans. Utilizing Fluid® Shelf technology with a unique paninsert, breadsareideally held in a moist environment for increased periods of time. Designed as a compactunit, the BW model doesnot require the use of a door.

| SPECIFICATIONS      |                     |   |         |   |         |
|---------------------|---------------------|---|---------|---|---------|
| EXTERIOR DIMENSIONS | 16.13"W             | Х | 32.50"D | х | 26.13"H |
| INTERIOR DIMENSIONS | 13.50"W             | Х | 22.00"D | Х | 22.25"H |
| CUBIC CAPACITY      | 3.82ft <sup>3</sup> |   |         |   |         |
| MAX OPERATING TEMP  | 230°F               |   |         |   |         |
| NET WEIGHT          | 134lbs.             |   |         |   |         |
| SHIPPING WEIGHT     | 230lbs.             |   |         |   |         |

| ELECTRICAL SPECIFICATIONS |      |  |
|---------------------------|------|--|
| VOLTS                     | 120  |  |
| AMPS                      | 15   |  |
| TOTAL WATTS               | 1750 |  |
| HERTZ                     | 60   |  |
| PHASE                     | 1    |  |

| SHELVES  |   |  |  |
|----------|---|--|--|
| STANDARD | 3 |  |  |


| CAPACITY        |   |  |
|-----------------|---|--|
| STEAM TABLE PAN |   |  |
| 12" x 20" x 6"  | 3 |  |

| OPTIONS / ACCESSORIES |                              |  |
|-----------------------|------------------------------|--|
| High Temp Pans        | Vented Stainless Drawer Lids |  |
| Controller Shield     | Stainless Steel Drip Pan     |  |
| Pass-thru             | Stainless Drawer Lids        |  |
| Wire Baskets          | Stainless Steel Riser        |  |

Specifications subject to change without notice.









SIDE VIEW



Unit shown with optional pans and lids

FRONT VIEW









Patented

REV. 12/20

